

## Day/Night Classic Camera NVC-GDN5210C-3



\*lens not included



### Features

- Mechanical IR cut filter
- IR operation capability
- Horizontal resolution: up to 700 TVL
- Min. Illumination: from 0.00004 lx/F=1.2 (DSS)
- Digital Slow Shutter (DSS)
- Digital Noise Reduction (DNR)
- Digital Image Stabilizer (DIS)
- High Light Compensation (HLC)
- Digital zoom: 10x
- Privacy zones: 8
- Other functions: various picture effects, motion detection
- Full configuration directly from the camera (user friendly OSD)
- Power Supply: 90 ~ 240 VAC

Specifications	Description
Pick-up Element	1/3" SONY Super HAD II CCD imager
Horizontal Resolution	580 TVL -color mode, 700 TVL - B/W mode
Min. Illumination	0.05 lx/F=1.2 - normal color mode (1/50 s), 0.005 lx/F=1.2 - B/W mode (1/50 s), 0.00004 lx/F=1.2 - B/W, DSS
S/N Ratio	More than 52 dB (AGC Off)
Electronic Shutter	Auto (AES): 1/50 s ~ 1/120 000 s
Digital Slow Shutter (DSS)	1/25 s ~ 5.12 s
Auto Gain Control (AGC)	On/Off (2 levels)
White Balance	5 modes: Manual/AWC/Outdoor/Indoor/ATW
Back Light Compensation (BLC)	On/Off (3 modes)
High Light Compensation (HLC)	On/Off
Synchronization	Internal/Line-lock with phase adjustment
Day/Night Switching	Auto/Manual/External
Filter Delay	5 s/7 s/10 s/15 s/20 s/30 s/40 s/60 s
Zoom	10x
Iris Mode	V or D selectable
Lens Mount	C/CS
Flickerless function	On/Off
Video Output	1.0 Vp-p/75 Ohm (BNC)
Set-up	On-screen display (OSD)
Privacy Zones	8

Specifications	Description
Other Functions	Digital Image Stabilizer (DIS), Digital Noise Reduction (DNR), Motion detection, Various picture effects: Mirror (horizontal) and 180° image rotation, Freeze, Image sharpness adjustment
Power Supply	90 ~ 240 VAC
Power Consumption	5 W
Operating Temperature	-20°C ~ 50°C
Dimensions (mm)	60 (W) x 55 (H) x 120 (L)
Weight	310 g