

8-port PoE+ Switch

NVS-3308SP-LITE




KEY FEATURES

- •8 x 100Mb/s PoE+ •2 x 1000Mb/s UPLINK

DIMENSIONS







44 mm	GENERAL	
	Device Type	PoE+ Switch
	NETWORK	
	Ports	PoE+ Ports: $8 \times 10 \text{Mb/s}$ / 100Mb/s (the number of ports simultaneously operating with PoE + mode is limited by PoE budget), Ports Ri-45 UPLINK 1Gb/s: 2
	PoE standards	IEEE802.3af, Class 3, IEEE802.3at, Class 4
	PoE modes	Endspan (1,2+ / 3,6-)
	Switching capacity	5.6 Gb/s
	Protocols Support	IEEE 802.3 10BASE-T, IEEE 802.3u 100BASE-TX, IEEE 802.3x
	MAC ADDRESS list	2K
	FUNCTIONS	
	ссти	Extended mode switch that increases the data and power transmission distance up to 200m (Using 10 Mb/s bandwidth)
	Additional operating modes	Extended
118 mm	INSTALLATION PARAMETERS	
	RACK Mount 19"	10
	Case	Metal, color navy blue
	Dimensions (mm)	200 (W) x 44 (H) x 118 (L)
	Weight	0.7 kg
	Input Voltage	100 ~ 240 VAC, 50/60Hz
	Power Consumption	130 W (maximum)
	PoE Budget	120 W for ports 1 to 8, up to 30 W for one port
	Operating Temperature	0°C ~ 40°C