

8-port PoE+ Switch

NVS-3208SP



KEY FEATURES

•8 x 100Mbps PoE+ •1 x 1000Mb/s UPLINK, 2 x 1000Mb/s SFP UPLINK

DIMENSIONS

	Ĵ
<> 218 mm	
	Î
	*
0 	

	GENERAL	
FP	Device Type	PoE+ Switch
	NETWORK	
30 mm	Ports	PoE+ Ports: 8 x 10/100Mbps (the number of ports simultaneously operating with PoE + mode is limited by PoE budget), Optical UPLINK ports: 1 x SFP, Uplink Combo x 1 :SFP(1Gb/s) + RJ45(1Gb/s)
	PoE standards	IEEE802.3af, Class 3, IEEE802.3at, Class 4
	PoE modes	Endspan (1,2+ / 3,6-)
	Switching capacity	5.6 Gb/s
	Protocols Support	IEEE 802.3 10BASE-T, IEEE 802.3u 100BASE-TX, IEEE 802.3x
	MAC address list	4K
	INSTALLATION PARAMETERS	
	Case	Metal, color navy blue
	Dimensions (mm)	218 (W) x 30 (H) x 107 (L)
+	Weight	0.6 kg
	Input Voltage	53 VDC (power supply 100 ~ 240 VAC/53 VDC included)
10	Power Consumption	120 W (maximum)
07 r	PoE Budget	115 W for ports 1 to 8, up to 30 W for one port
mm	Operating Temperature	0°C ~ 40°C