## **NOVUS**

## **IP Entrance Panel**

NVE-EPV120KP





## **KEY FEATURES:**

- Number of users: 20
- Camera with 1920 x 1080 px resolution and 120° viewing angle, IR illumination
- Proximity card reader in the unique 125 kHz standard
- Mounting on an angle bracket with a rain cover
- Gate and door control function
- RTSP protocol support

The Villa NVE-EPV120KP entrance panel is an elegant and aesthetic device designed for outdoor use, e.g. in front of the entrance to a property. It allows you to easily communicate with the homeowner using the call button and built-in color camera. Infrared (IR) backlighting allows for trouble-free use of the panel even at night. The built-in proximity card reader in the unique 125 kHz standard allows for simple access control and facilitates everyday use of the system. Support for two relays allows for control of both the gate and the door. The panel supports the RTSP protocol, making it possible to stream to Novus CCTV recorders. Image parameters, settings, and network protocols can be configured from the web application client

Device type	IP Entrance panel
Number of users	20
Sensor	CMOS HD 2 MPx
View angle	120 °
Video coding	H.265 (default); H.264
Power supply input	15 V DC
PoE	48 V DC (802.3af)
Power consumption	4,5 W (Max.)
Lock output	1 x Relay NO/NC (4 A / 36 V DC/AC)
Gate output	NO Relay (4 A / 36 V DC/AC)
Exit Button	Yes
Door open status indicator	No
Port LAN	1 x 10M / 100M Ethernet
Wi-Fi	No
Standalone mode	No
Card reader format	unique standard
Number of cards supported	100
Numeric keyboard	Yes
Access Code	Yes
Additional functions	vandal-proof housing, LED IR, mounting on an angular bracket, Status LEDs
Dimensions	154 x 55 x 21 mm
Weight	350g
Protection code	IP66
IK Rating	IK07
Operating temperature	from -40 to 60 °C
Color	Graphite black (RAI 9011)