

## IP camera with „fisheye” lens



NMS software (Novus Management System) for IP video monitoring included!

### NVIP-5DN2021D/IR-2P

- „Fisheye” lens, f=1.05 mm/F=2.8
- 1/2.5” CMOS imager, 5.0 Mpx
- Very high illumination - from 0.02 lx
- Day/night function – mechanical IR cut filter
- Operating in 4-stream mode
- IR LED - 6 pcs., 5 m range
- Two-way audio transmission - built-in speaker and microphone
- Memory card support
- Power supply – PoE or 12 VDC
- Discreet look

Distribution:

This camera can even more than others!



### All-round 360° view

unlimited control of the camera's view  
in live and playback mode

User can choose lots of image clippings  
from a single camera and display them in separate windows.

### Digital PTZ function

pan, tilt, zoom  
in live display and playback mode



### Whole room monitoring

replaces several traditional cameras  
and lowers the CCTV system installation costs

The camera is recommended for monitoring large enclosed spaces, shopping complexes, halls, receptions, etc. One centrally placed camera is able to cover the whole room space.



Scan the code and see, how the camera works!

Download an application from App Store/Google Play for reading QR codes on your smartphone or tablet. Point the camera at the code. The application will decode it and enable watching the video.

### 5 Mpx resolution

with the possibility of generating Full HD image (30 fps)

The quality of generated stream and related ability to recognize details are resulting from the 1/2.5” CMOS imager and the progressive scanning.



Standard  
resolution camera

Camera  
NVIP-5DN2021D/IR-2P